



# TRACTOR TYRES

Range





## TRACTOR FRONT TYRES



ARJUN



BHISMA PLUS



DRONA

S. NO.	SIZE	PATTERN	TT/TL	PR	TYRE SW (mm)	TYRE OD (mm)	LOAD INDEX	INFLATION (PSI)	SPEED RATING
1	6.00-16	DRONA	TT	6 PR	170	745	560 KGS	48	88 A6
2	6.00-16	BHISMA PLUS	TT	6 PR	170	745	560 KGS	48	88 A6
3	6.00-16	ARJUN	TT	6 PR	170	745	560 KGS	48	88 A6
4	6.00-16	DRONA	TT	8 PR	170	745	670 KGS	65	94 A6
5	6.00-16	BHISMA PLUS	TT	8 PR	170	745	670 KGS	65	94 A6
6	6.00-16	ARJUN	TT	8 PR	170	745	670 KGS	65	94 A6
7	7.50-16	ARJUN	TT	6 PR	205	820	750 KGS	41	98 A6
8	7.50-16	ARJUN	TT	8 PR	205	820	875 KGS	54	103 A6
9	7.50-16	ARJUN	TT	10 PR	205	820	1030 KGS	69	109 A6





## TRACTOR REAR R-1 TYRES



AGROMAN



VS-501



VS-504

S. NO	SIZE	PATTERN	TT/TL	PR	TYRE SW (mm)	TYRE OD (mm)	LOAD INDEX	INFLATION (PSI)	SPEED RATING
1	15.5/80-24	VS-504	TL	12 PR	395	1270	3900 KGS	43	151 A6
2	15.5/80-24	VS-504	TL	16 PR	395	1270	4875 KGS	58	151 A6
3	14.9-24	VS-501	TT	6 PR	391	1265	1550 KGS	20	123 A6
4	14.9-24	VS-501	TT	8 PR	391	1265	1800 KGS	26	128 A6
5	14.9-24	VS-501	TT	12 PR	391	1265	2900 KGS	52	131 A6
6	12.4-28	AGROMAN	TT	6 PR	315	1260	1285 KGS	25	117 A6
7	12.4-28	AGROMAN	TT	10 PR	315	1260	1550 KGS	33	123 A6
8	12.4-28	AGROMAN	TT	12 PR	315	1260	1650 KGS	38	125 A6
9	13.6-28	AGROMAN	TT	4 PR	315	1260	1120 KGS	15	112 A6
10	13.6-28	AGROMAN	TT	6 PR	350	1310	1450 KGS	23	121 A6
11	13.6-28	AGROMAN	TT	8 PR	350	1310	1650 KGS	29	125 A6
12	13.6-28	AGROMAN	TT	14 PR	350	1310	2120 KGS	43	134 A6
13	14.9-28	AGROMAN	TT	12 PR	390	1380	2120 KGS	33	134 A6






## IRRIGATION DRIVE R-1 TYRES



S. NO.	SIZE	PATTERN	TT/TL	PR	TYRE SW (mm)	TYRE OD (mm)	LOAD INDEX	INFLATION (PSI)	SPEED RATING
1	11.2-24	-	TT	6 PR	285	1105	1060 KGS	26	110 A6
2	11.2-24	-	TT	8 PR	285	1105	1250 KGS	35	116 A6
3	14.9-24	-	TT	6 PR	391	1265	1550 KGS	20	123 A6
4	14.9-24	-	TT	8 PR	391	1265	1800 KGS	26	128 A6





## GRADER G-2 TYRES



S. NO.	SIZE	PATTERN	TT/TL	PR	TYRE SW (mm)	TYRE OD (mm)	LOAD INDEX	INFLATION (PSI)	SPEED RATING
1	13.00-24	-	TL	12 PR	340	1275	2725 KGS	43	-
2	13.00-24	-	TL	16 PR	340	1275	3240 KGS	58	-
3	14.00-24	-	TL	12 PR	364	1335	3075 KGS	36	-
4	14.00-24	-	TL	16 PR	364	1335	3650 KGS	51	-





# AGRICULTURE IMPLIMENT TYRES



V-101

S. NO.	SIZE	PATTERN	TT/TL	PR	TYRE SW (mm)	TYRE OD (mm)	LOAD INDEX	INFLATION (PSI)	SPEED RATING
1	10.0/75-15.3	V-101	TL	10 PR	274	760	2170 KGS	56	123 A8
2	10.0/75-15.3	V-101	TL	12 PR	274	760	2380 KGS	68	126 A8
3	10.0/75-15.3	V-101	TL	14 PR	274	760	2660 KGS	79	130 A8
5	10.0/75-15.3	V-101	TL	18 PR	274	760	3050 KGS	102	135 A8
6	11.5/80-15.3	V-101	TL	10 PR	290	845	2730 KGS	49	131 A8
7	11.5/80-15.3	V-101	TL	12 PR	290	845	3050 KGS	59	135 A8
8	11.5/80-15.3	V-101	TL	14 PR	290	845	3400 KGS	69	139 A8
9	11.5/80-15.3	V-101	TL	16 PR	290	845	3605 KGS	78	141 A8





# VS RUBBER PRIVATE LIMITED



+91-7409400192  
+91-7409400193  
+91-8077692016



info@vsrubber.co.in  
www.vsrubber.co.in



141-144 Achhronda Delhi Road, Near Partapur  
Police Station, Meerut- (250103) U.P, India



facebook.com/vsrubberpvtltd/



Twitter.com/VSR26194942



instagram.com/\_vsrubber/